

MAYEKAWA

MYCOM



MAYEKAWA CO₂ SUPERCRITICAL HEAT PUMP



heatCO₂m
Water heat source



The MAYEKAWA heatCO₂m


is a heat pump system that generates hot water by recovering heat energy from any waste heat source. It uses CO₂, a natural refrigerant, instead of chemical refrigerants normally used in other heat pump systems.

The heatCO₂m is one of MAYEKAWA's contributions for the protection of the global environment. Producing heat with the heatCO₂m is clean & safe process, the energy losses by this system are kept to a minimum and no additional energy is needed to produce the heat which means there are no NO_x or CO₂ gases discharged into the atmosphere. The overall heatCO₂m CO₂ footprint is very small.

The heatCO₂m is best suited for medium to large scale facilities. It can efficiently produce high temperature hot water for both industrial and commercial use.

Per day the heatCO₂m has the capacity to produce up to 22000 L of hot water at an inlet temperature of 15 °C and an outlet temperature of 90 °C.

MAYEKAWA compressors are developed using MAYEKAWA's large knowledge and experience. The heatCO₂m is equipped with a very efficient high pressure reciprocating compressor designed for use with CO₂.



WEIGHT (kg)	WIDTH (mm)	LENGTH (mm)	HEIGHT (mm)
1060	1140	1293	1919

Range of Use

ITEM	UNIT	OPERATING CONDITION		
Heat Exchanger	-	Water heater	Water cooler	
Type	-	-	Brine Cooling	Water Cooling
Fluid	-	Water	Brine	Brine or Water
Inlet Temperature	°C	5 to 50 ¹⁾	-5 to 37	10 to 37
Outlet Temperature	°C	65 / 90	-9 to 32	5 to 32
Inlet Pressure	MPaG	0.15 to 0.49		
Flow Rate	L/min	8 to 35	100 to 300	

1) Upper limit of inlet temperature condition depends on flow rate of both water heat exchanger side and temperature condition

Performance Chart

65 °C HOT WATER SUPPLY TEMPERATURE							
Heat Source °C		Capacity (kW)	Inlet water Temperature				
Inlet	outlet		10 °C	15 °C	20 °C	25 °C	30 °C
37	32	Heating	119.7	115.8	-	-	-
		Cooling	103.5	94.5	-	-	-
		Power	22.6	23.2	-	-	-
22	17	Heating	104.4	101.2	98.0	94.0	-
		Cooling	82.5	78.5	74.8	69.8	-
		Power	24.0	24.8	25.6	26.4	-
12	7	Heating	87.5	84.8	81.9	78.7	75.5
		Cooling	66.5	63.2	59.7	56.1	52.4
		Power	22.9	23.5	24.1	24.7	25.2
-5	-9	Heating	51.4	49.9	48.0	46.3	-
		Cooling	35.0	33.4	31.6	29.7	-
		Power	17.8	17.9	18.0	18.1	-

90 °C HOT WATER SUPPLY TEMPERATURE							
Heat Source °C		Capacity (kW)	Inlet water Temperature				
Inlet	outlet		10 °C	20 °C	30 °C	40 °C	50 °C
37	32	Heating	110.0	103.0	95.0	82.7	60.6
		Cooling	86.2	79.5	71.0	58.8	36.6
		Power	25.7	25.8	25.9	26.0	26.1
22	17	Heating	97.7	92.3	85.8	77.1	65.9
		Cooling	72.6	67.0	60.2	51.7	40.1
		Power	27.5	27.6	27.7	27.8	27.9
12	7	Heating	83.2	78.6	72.8	65.9	-
		Cooling	59.9	55.1	49.3	42.1	-
		Power	25.4	25.5	25.6	25.7	-
-5	-9	Heating	52.2	48.8	44.8	-	-
		Cooling	35.6	28.2	28.2	-	-
		Power	18.0	18.3	18.3	-	-

*This unit has the upper limit of the amount of inlet water and the min. limit of chilled water to protect heat exchangers.


*The numbers in () shows the reference values because of the operation with water limitation.

*The values above are simulation values when the difference temperature between inlet water and outlet water without the upper limit of the amount of inlet water.

MAYEKAWA MYCOM

WORLDWIDE

- 33 countries / 119 offices
- 8 production plants



MAYEKAWA Europe Organization

SWITZERLAND

Rosenbergstrasse 31,
CH - 6300, Zug
Tel. +41 41 726 8626
Fax +41 41 726 8620
<http://www.mayekawa.ch/>
E-mail info@mayekawa.ch

SPAIN

Calle Montevideo 5,
Nave 13 POL.
Industrial Campoporoso
28806 Alcala de Henares, Madrid
Tel. +34 91 830 0392
Fax +34 91 830 0397
<http://www.mayekawa.es/>
E-mail mayekawa@mayekawa.es

RUSSIA

House 3, Flat 54, Mytnaya
St., Moscow, 119049
Tel. +7 499 230 01 76
Fax +7 499 230 21 12
<http://www.mayekawa.ru/>
E-mail info@mayekawa.ru

GERMANY

Gabriele-Münter Strasse 3,
82110 Germering
Tel. +49 89 5527 989 10
Fax +49 89 5527 989 19
E-mail info@mayekawa.de

FRANCE

9, Rue Michael Faraday,
78180 Montigny-Le Bretonneux,
Tel. +33 1 30 58 2600
Fax +33 1 30 58 1937
<http://www.mayekawa.fr/>
E-mail mycom-france@mayekawa.eu

UNITED KINGDOM

16 Oakhurst Gardens,
Bexleyheath, Kent DA7 5JP
Tel. +44 1322 433558
Fax +44 1322 433164

BULGARIA

94, Hristo Botev Str.1202 Sofia
Tel. +359 2 8910130
Fax +359 2 8910131

DUBAI

P.O.Box.61349, LOB. 11. No.126,
Jebel Ali Free Zone, Dubai, U.A.E
Tel. +971 4 887 2232
Fax +971 4 887 2238

INDIA

1st Floor, Balaji House,
Nr. Mahalaxmi Heights,
Mumbai-Pune Road, Pimpri,
Pune-411 018
Maharashtra, India
Tel. +91 20 2746 4537
Fax +91 20 2746 4539

AUSTRALIA

Unit 2,44 McCauley
Street Matraville NSW 2036 Australia
Tel. +61 2 9695 7000
Fax +61 2 9695 7001
E-mail mycomaus@mayekawa.com.au

NEW ZEALAND

30 Tui Street Othahuhu PO. Box 12106
Auckland New Zealand
Tel. +64 9 276 2305
Fax +64 9 276 2306
E-mail mycom@ihug.co.nz

JAPAN HEAD OFFICE

3-14-15 Botan Koto-ku,
Tokyo 135-8482, JAPAN
Tel. (81)-3-3642-8181
Fax (81)-3-3643-7094
E-mail: e-public@mayekawa.co.jp

MAYEKAWA Europe nv/sa

Leuvensesteenweg 605
1930 Zaventem - Belgium
Tel. +32 2 757 90 75
Fax +32 2 757 90 23
URL <http://www.mayekawa.eu>
E-mail info@mayekawa.eu

Global web site

<http://www.mayekawa.com/>